eurobio scientific

Just Positive[™] Prekallikrein Activator (PKA) Control

A borderline positive control for assays of Prekallikrein Activator in biological fluids

PRODUCT CODE: PW51005

5x0.5ml

For Research Use Only

Product Description

Intended use

The method for the determination of Prekallikrein Activator (PKA) in human plasma derived products is based on the activation of a prekallikrein preparation from human plasma. The PKA present in the sample activates plasma prekallikrein to plasma kallikrein, which then hydrolyses a chromogenic peptide substrate for plasma kallikrein. The amount of colour generated is monitored spectrophotometrically and is directly proportional to the amount of PKA present in the sample.

Just Positive™ Prekallikrein Activator (PKA) control can be used as a borderline positive control for the assay of PKA.

Composition

Just Positive™ Prekallikrein Activator (PKA) Control is prepared from a plasma fraction containing PKA.

Additional material required

 A Eurobio Scientific Prekallikrein Activator (PKA) assay kit, (shown below), or an "in-house" PKA assay.

REF PW30100 Prekallikrein Activator (PKA) assay kit 90 tests

REF PW301EP Prekallikrein Activator (PKA) assay kit 90 tests

Warnings and Precautions

- For Research use only.
- The Prekallikrein Activator (PKA) control has been prepared from human plasma and as with all blood and plasma samples it should be treated as potentially infectious and handled with appropriate care.
- Each single plasma donation used in the production of this product has been tested and found to be non reactive for HbsAg, Anti-HIV 1 & 2, Anti HCV and Syphilis. However as a human source product it be treated as a potentially infectious and handled appropriately.
- The Just Positive™ Prekallikrein Activator (PKA) control is supplied in glass vials and these should be visually inspected before use. In the event of cracked or broken vials care should be taken to avoid cuts and abrasions. Broken glass should be disposed of in a suitable receptacle and any work areas affected by spillages should be decontaminated using suitable materials.

Stability and Storage

The expiry date printed on the bottle labels refers to the storage of unopened bottles stored at 2 to 8°C

The reconstituted Just Positive™ Prekallikrein Activator (PKA) Control is stable for 4 hours at 4°C and should not be stored for re-use.

Preparation and performance of the test

- Open the vial carefully and reconstitute the contents in **0.5ml** of sterile distilled water.
- Allow the reconstituted Just Positive[™] Prekallikrein Activator (PKA) Control to stand for 10 minutes at room temperature then swirl gently to ensure adequate mixing.
- Test the reconstituted Just Positive[™] PKA Control in the same way as a test sample, but without further dilution according to the Eurobio Scientific Prekallikrein Activator (PKA) assay kit instructions. If the control is being tested using an in-house PKA assay the Just Positive[™] PKA Control should be tested in the same way as a test sample with a low PKA concentration.

Test standardisation and limitations

The production and standardisation of Just PositiveTM Prekallikrein Activator (PKA) Control is controlled by the use of the 2^{nd} International Standard for PKA^(1,2).

The level of PKA in Just Positive[™] Prekallikrein Activator (PKA) Control is batch specific and assigned using the Eurobio Scientific Prekallikrein Activator (PKA) assay kit. The control is intended as an accuracy control of the Eurobio Scientific Prekallikrein Activator (PKA) assay, but can also be used as a control in "in-house" PKA assays.

The batch specific control ranges assigned using the Eurobio Scientific PKA test are shown in the table printed on the reverse side of this insert.

Literature

1. Longstaff C, Behr-Gross M-E, Daas A, Lackner F. An international collaborative study to replace the 1st international standard for prekallikrein activator. Vox Sanguinis 2005; 88:143-151.

2. Longstaff C, Behr-Gross M-E, Daas A, Lackner F. Collaborative Study to Establish a new Biological Reference Preparation for Prekallikrein Activator. Pharmeuropa-Bio, 2005-1, 1-11.



Eurobio Scientific UK Eclipse House, Curtis Road Dorking, RH4 1EJ, UK Tel: 0044 1306 888777 www.eurobio-scientific.co.uk