

1. PRODUCT AND COMPANY IDENTIFICATION

- 1.1 Product name:** Human Prekallikrein Pool
1.1 Code: PW30505
1.2 Recommended use: Reagent for Prekallikrein Activator (PKA) Assays
1.3 Manufacturer: Eurobio Scientific Ltd
 Eclipse House, Curtis Road
 Dorking, RH4 1EJ, UK
 Tel: + 44 1306 888777
 Fax: + 44 1306 883883
1.4 Emergency Phone: + 44 1306 888777

2. COMPOSITION / INGREDIENTS INFORMATION

- 2.1 Kit contents:**
- Human Prekallikrein, 5 x 2.0 ml Human plasma fraction

3. HAZARDS IDENTIFICATION

3.1 Human Prekallikrein: Products derived from human plasma. Handle with care, observing the precautions recommended for bio-hazardous material. The human plasma used has tested negative for antibodies to HIV Type 1 and 2, Hepatitis C and Hepatitis B surface antigen. However, since no test method can offer complete assurance that infectious agents are absent this human plasma product should always be handled with care, observing the precautions recommended for a bio-hazardous material.

- 3.2 Emergency overview:** General rules for handling biological material must be followed.
3.3 Health hazard: Minimal health hazard upon ingestion or risk of combustion.

4. FIRST AID MEASURES

- 4.1 Skin Contact:** If a component of this kit contacts the skin and causes discomfort, remove any contaminated clothing. Wash affected area with plenty of soap and water. If pain or irritation occurs, obtain medical attention.
- 4.2 Eye Contact:** If a component of this kit enters the eyes and causes discomfort, wash eyes gently under potable running water for 15 minutes or longer, making sure that the eyelids are held open. If pain or irritation occurs, obtain medical attention.
- 4.3 Inhalation:** Inhalation of any component in this kit is unlikely. If a component of this kit is inhaled and causes discomfort, move exposed individual to fresh air. Seek medical attention if breathing is difficult or symptoms persist. Seek medical advice immediately.
- 4.4 Ingestion:** If a component of this kit is ingested, wash mouth out with water. If irritation or discomfort occurs, obtain medical attention.
- 4.5 Other:** In case of injury and contamination with human plasma material it is strongly recommended to obtain medical attention.

5. FIRE FIGHTING MEASURES

- 5.1 Extinguishing media:** No limitation. For small fires, use dry chemical, carbon dioxide, or alcohol-resistant foam.
- 5.2 Flammable properties:** None

6. ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions:** This product contains materials of biological origin. Wear gloves to avoid personal contact. Use Universal Precautions during clean-up procedures.
- 6.2 Clean up procedures:** Absorb liquid and place in container suitable for disposal. Dispose of in accordance with applicable local procedures.

7. HANDLING AND STORAGE

- 7.1 Handling:** For Professional use only.
Wash thoroughly after handling components of this product. Do not eat or drink while using this kit. This product should be handled only by qualified clinical, or laboratory staff trained on the use of this product and who are familiar with the potential hazards. This kit should be handled as though capable of transmitting infectious diseases. Universal Precautions should be followed when using this product.
- 7.2 Storage:** Store at +2°C to +8°C

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

- 8.1 Ventilation:** No ventilation requirements are necessary.
- 8.2 Respiratory protection:** None needed under normal conditions of use.
- 8.3 Hand protection:** Impervious gloves should be worn to prevent hand contact.
- 8.4 Eye protection:** Safety glasses are recommended to prevent eye contact.

9. Physical and Chemical Properties

- 9.1 Appearance:** Solid
- 9.2 Colour:** Colourless
- 9.3 Odour:** Odourless
- 9.4 Solubility:** Miscible with water
- 9.5 Viscosity:** No data available
- 9.6 pH-value:** pH 7.4 – pH 8.3

10. STABILITY AND REACTIVITY

- 10.2. Materials to avoid:** None known.
- 10.2. Hazardous reactions:** None known if handled correctly.
- 10.3. Hazardous decomposition:** Thermal decomposition may release irritating fumes or toxic gases.

11. TOXICOLOGICAL INFORMATION

- 11.1. Acute toxicity:** Not known.
- 11.2. Skin effects:** Not known.
- 11.3. Eye effects:** Not known.

- 11.4. Other:** No cases of intoxication known so far. Human Plasma used to produce the product components is derived exclusively from donors who have been tested negative for antibodies against HIV 1/2, HCV and HBs antigen using approved test procedures. Nevertheless, human plasma should be considered as potentially infectious and handled with care.

12. ECOLOGICAL INFORMATION

- 12.1. Ecotoxicity:** No adverse effects on the environment are expected from the components of this product. There is no aquatic toxicity data for any component of this product currently.

13. DISPOSAL CONSIDERATIONS

- 13.1. Product disposal:** Incineration according to local and national legislation.
13.2. Packaging disposal: Dispose of in a manner in accordance with local and national regulations.

14. TRANSPORT INFORMATION

- 14.1. UN. No.:** Not applicable
14.2. Road and rail transport (ADR/RID): Not applicable
14.3. Air transport (ICAO/IATA-DGR): Not applicable
14.4. Sea transport (IMO/IMDG): Not applicable
14.5. Inland navigation (AND(ADNR): Not applicable
14.6. Other information: None

15. REGULATORY INFORMATION

- 15.1:** Not classified as dangerous acc. to European Community Directive 93/21/EEC
15.2: National legislation: For further product information please refer to the appropriate National Legislation.

16. OTHER INFORMATION

- 16.1:** This Safety Data Sheet complies with the European Community Directive 93/112/EC amended 91/155/EC.
16.2: All information and instructions provided in this Safety Data Sheet are based on the current state of scientific and technical knowledge at the date indicated on this Safety Data Sheet. Pathway Diagnostics Ltd. shall not be held responsible for any defect in the product covered by this Safety Data Sheet, should the existence of such a defect not be detectable considering the current state of scientific and technical knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Prepared by: Eurobio Scientific Ltd
 Eclipse House, Curtis Road
 Dorking, Surrey RH4 1EJ, UK

Date of Preparation: 26 February 2024

Eurobio Scientific Ltd provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the materials contained in this kit by a properly trained person using this kit. Pathway Diagnostics Ltd shall not be held liable for any damage resulting from handling or use.